



#### Main

|                             |   |
|-----------------------------|---|
| Range of product            | 9007  |
| Series name                 | Severe duty   |
| Product or component type   | Limit switch lever  |
| Device short name           | 9007T/FT  |
| Associated head             | 9007CS9<br>9007T5S9<br>9007NS9<br>9007AS9<br>9007T10S9<br>9007BS9   |
| Associated complete product | 9007FT<br>9007C..S9<br>9007T  |
| Movement of operating head  | Rotary  |
| Type of operator            | Cast zinc spring return rod lever without rod - offset:<br>- clamp for use with 1/4" key stock (not supplied) |
| Type of approach            | Lateral approach  |
| Positive opening            | Without   |

#### Complementary

|                  |                    |
|------------------|--------------------|
| Switch actuation | By any moving part |
| Net weight       | 0.05 kg            |

#### Environment

|                                       |                      |
|---------------------------------------|----------------------|
| Ambient air temperature for operation | -23...85 °C          |
| Ambient air temperature for storage   | -23...85 °C          |
| Environmental characteristic          | Standard environment |

#### Packing Units

|                              |          |
|------------------------------|----------|
| Unit Type of Package 1       | PCE      |
| Number of Units in Package 1 | 1        |
| Package 1 Height             | 3.048 cm |
| Package 1 Width              | 3.556 cm |
| Package 1 Length             | 5.08 cm  |
| Package 1 Weight             | 77.11 g  |
| Unit Type of Package 2       | S01      |
| Number of Units in Package 2 | 50       |
| Package 2 Height             | 15.0 cm  |
| Package 2 Width              | 15.0 cm  |
| Package 2 Length             | 40.0 cm  |
| Package 2 Weight             | 4.114 kg |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither TWSS Holding nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

## Offer Sustainability

|  |   |
|--|---|
| Sustainable offer status                   | Green Premium product   |
| Environmental Disclosure                   | <a href="#">Product Environmental Profile</a>   |
| Circularity Profile                        | No need of specific recycling operations  |
| California proposition 65                  | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |
| For all Reach Rohs enquiries contact us at | <a href="mailto:sustainability@tesensors.com">sustainability@tesensors.com</a>  |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|