

Mureva BOX - junction box - 4 grommets Ø 20 - 60x60x40 mm

ENN05001

Main

product range	Mureva BOX
product type	Junction box
quantity per package	5 pieces

Complementary

•		
Mounting	Surface	
cable entry	Grommets	
Fixing mode	Clip-on: cover	
Inner dimensions	60 x 60 x 40 mm	
number of cable entries	4 diameter: 20 mm	
Material	ABS (acrylonitrile butadiene-styrene): body PP (polypropylene): cover SBS (styrene butadiene styrene): grommet	
Electrical insulation class	Class II conforming to IEC 536	
Height	50 mm	
Width	72 mm	
Depth	72 mm	
Net weight	0.044 kg	

Environment

operating temperature	-2540 °C	
IP-Class	IP55 conforming to IEC 60529	
IK-Class	IK07 conforming to EN 50102	
glow wire temperature	650 °C	
Standards	EN 60670 CE	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.500 cm
Package 1 Width	1.500 cm
Package 1 Length	5.000 cm

Package 1 Weight	46.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	200
Package 2 Height	28.500 cm
Package 2 Width	40.000 cm
Package 2 Length	53.000 cm
Package 2 Weight	9.590 kg
Unit Type of Package 3	P12
Number of Units in Package 3	2400
Package 3 Height	98.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	126.400 kg

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No