

TeSys GV2 - Enclosure for TeSys GV2ME - IP55

GV2MC02

Main

Range	TeSys
Product or component type	Enclosure
Device short name	GV2MC
Accessory / separate part category	Mounting accessory
Product compatibility	GV2ME
enclosure type	Surface mounting

Complementary

Auxiliary mounting location	Left Right
Height	147 mm
Width	93 mm
Depth	84 mm
Net weight	0.3 kg

Environment

IP degree of protection	IP55	
Environmental characteristic	Standard environment	
Product certifications	TIKCA	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.000 cm
Package 1 Width	10.000 cm
Package 1 Length	15.500 cm
Package 1 Weight	293.000 g
Unit Type of Package 2	S04
Number of Units in Package 2	27
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm

Package 2 Weight	8.662 kg
Unit Type of Package 3	P06
Number of Units in Package 3	108
Package 3 Height	75.000 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm
Package 3 Weight	45.800 kg

Contractual warranty

Warranty 12 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	107
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances		
Packaging made with recycled cardboard	Yes	
Packaging without single use plastic	Yes	
EU RoHS Directive	Compliant	
SCIP Number	04104e70-ba29-493c-b2cc-b5837d1f879b	
REACh Regulation	REACh Declaration	

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins