

# Product datasheet

Specifications

## Neutral Screwless terminal block 24 holes (3x25+21x4) + Jumper



LGYT1N24

### Main

Range	Lineryg
Product or component type	Terminal block
Accessory / separate part category	Connection accessory
Range compatibility	Resi9 enclosure Pragma enclosure Kaedra enclosure
Colour	Blue

### Complementary

Provided equipment	1.0 x jumper
Enclosure mounting	Flush Surface
[In] rated current	63 A
[Ue] rated operational voltage	440 V AC
Number of terminal blocks	1 neutral (screw and screwless terminals) with 24 outgoers
Distribution block outgoers	3 x 25 mm <sup>2</sup> for neutral 21 x 4 mm <sup>2</sup> for neutral
Connections - terminals	Screw terminals (neutral) , 3.0 x 16 mm <sup>2</sup> (rigid) Screwless terminals (neutral) , 21 x 4 mm <sup>2</sup> (flexible) Screwless terminals (neutral) , 21 x 6 mm <sup>2</sup> (rigid) Screw terminals (neutral) , 3.0 x 25 mm <sup>2</sup> (semi-rigid) Screwless terminals (neutral) , 21 x 6 mm <sup>2</sup> (semi-rigid) Screw terminals (neutral) , 3.0 x 25 mm <sup>2</sup> (flexible) Screwless terminals (neutral) , 21 x 4 mm <sup>2</sup> (flexible with ferrule)
Free slots	2 for jumper to connect an other terminal block
Width	94.2 mm
Height	45.5 mm
Depth	40.5 mm
Market segment	Small commercial Residential

### Environment

Ambient air temperature for storage	-25...60 °C
-------------------------------------	-------------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

<b>Package 1 Height</b>	4 cm
<b>Package 1 Width</b>	13 cm
<b>Package 1 Length</b>	20 cm
<b>Package 1 Weight</b>	133 g
<b>Unit Type of Package 2</b>	S03
<b>Number of Units in Package 2</b>	40
<b>Package 2 Height</b>	30 cm
<b>Package 2 Width</b>	30 cm
<b>Package 2 Length</b>	40 cm
<b>Package 2 Weight</b>	6.7 kg
<b>Unit Type of Package 3</b>	P12
<b>Number of Units in Package 3</b>	320
<b>Package 3 Height</b>	45 cm
<b>Package 3 Width</b>	80 cm
<b>Package 3 Length</b>	120 cm
<b>Package 3 Weight</b>	68.6 kg


## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.



[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant
REACH Regulation	<a href="#">REACH Declaration</a>

### Use Again

 <b>Repack and remanufacture</b>	
Take-back	No
WEEE	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins