

Product datasheet

Specifications

RAIL AND RAISERS MODULAR



LVS04227

Main

| | |
|------------------------------------|--|
| Range | PrismaSeT |
| Range of product | PrismaSeT P PrismaSeT G |
| Product or component type | Rail |
| Accessory / separate part category | Installation accessory |
| Range compatibility | PrismaSeT PrismaSeT G PrismaSeT PrismaSeT P |
| Type of rail | Modular |
| Installed device | Acti 9: fixed modular device Multi9: fixed modular device ComPact: fixed NG160 without earth leakage protection - control: toggle ComPact: fixed NG160 NA without earth leakage protection - control: toggle ComPact: fixed NG160 with earth leakage protection - control: toggle ComPact: fixed NSXm - control: toggle |
| Poles description | 1 x 3P: fixed NG160 1 x 4P: fixed NG160 1 x 3P: fixed NG160 NA 1 x 4P: fixed NG160 NA |

Complementary

| | |
|------------------------------------|---|
| installation description | Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Floor-standing enclosure - width 850 mm Cubicle - width 650 mm depth 400 mm Pack enclosure - width 555 mm |
| Number of vertical modules [50 mm] | 5 module(s): NG160 without earth leakage protection , direct in 650 mm Widecubicle 5 module(s): NG160 NA without earth leakage protection , direct in 650 mm Widecubicle 5 module(s): NG160 with earth leakage protection , direct in 650 mm Widecubicle 5 module(s): modular device in 600 mm Widefloor-standing enclosure 5 module(s): modular device in 600 mm Widewall-mounted enclosure 5 module(s): modular device in 850 mm Widefloor-standing enclosure 5 module(s): modular device in 650 mm Widecubicle 5 module(s): modular device in 555 mm WidePack enclosure |
| Provided equipment | 4 modular raisers |
| 9 mm pitches | 48 |
| Quantity per set | Set of 1 |
| Height | 35 mm |
| Width | 432 mm |
| Depth | 40 mm |
| Net weight | 0.14 kg |
| Colour | Natural |

| | |
|----------|-------|
| Material | Metal |
|----------|-------|

Environment

| | |
|-----------|----------------------------|
| Standards | IEC 61439-2 IEC 61439-1 |
|-----------|----------------------------|

| | |
|------------------------|------|
| Product certifications | ASTA |
|------------------------|------|

Packing Units

| | |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
|------------------------|-----|

| | |
|------------------------------|---|
| Number of Units in Package 1 | 1 |
|------------------------------|---|

| | |
|------------------|--------|
| Package 1 Height | 1.7 cm |
|------------------|--------|

| | |
|-----------------|--------|
| Package 1 Width | 6.3 cm |
|-----------------|--------|

| | |
|------------------|---------|
| Package 1 Length | 34.3 cm |
|------------------|---------|

| | |
|------------------|-------|
| Package 1 Weight | 160 g |
|------------------|-------|

| | |
|------------------------|-----|
| Unit Type of Package 2 | S02 |
|------------------------|-----|

| | |
|------------------------------|----|
| Number of Units in Package 2 | 15 |
|------------------------------|----|

| | |
|------------------|-------|
| Package 2 Height | 15 cm |
|------------------|-------|

| | |
|-----------------|-------|
| Package 2 Width | 30 cm |
|-----------------|-------|

| | |
|------------------|-------|
| Package 2 Length | 40 cm |
|------------------|-------|

| | |
|------------------|---------|
| Package 2 Weight | 2.78 kg |
|------------------|---------|

| | |
|------------------------|-----|
| Unit Type of Package 3 | P12 |
|------------------------|-----|

| | |
|------------------------------|-----|
| Number of Units in Package 3 | 120 |
|------------------------------|-----|

| | |
|------------------|-------|
| Package 3 Height | 28 cm |
|------------------|-------|

| | |
|-----------------|-------|
| Package 3 Width | 80 cm |
|-----------------|-------|

| | |
|------------------|--------|
| Package 3 Length | 120 cm |
|------------------|--------|

| | |
|------------------|---------|
| Package 3 Weight | 33.5 kg |
|------------------|---------|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

Halogen content performance

Halogen free plastic parts product

PVC free

Yes

Use Again

Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No