


Product datasheet

Specifications



Universal grid plate, PrismaSeT S-XS, perforated, height of 2 rows, for 24 modules enclosure

LVSXY1124

Main

Range	PrismaSeT
Product or component type	Grid plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT XS PrismaSeT S LexCom Home FIX DIN DIN rail LexCom Home FIX SCREW screw fixing LexCom Home FIX BOX fixing LexCom Home FIX CABLE cable clamp
Mounting plate description	Perforated
9 mm pitches	48
Enclosure type	enclosure 24 module(s)

Complementary

Number of 18 mm modules per row	24
Total number of 18 mm modules	48
Net weight	1.250 kg
Quantity per set	Set of 1
Material	Galvanized steel
Height in number of rows	2
Height	285 mm
Width	371 mm
Depth	5 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2 cm
Package 1 Width	34.2 cm
Package 1 Length	37 cm
Package 1 Weight	974 g
Unit Type of Package 2	S04
Number of Units in Package 2	7
Package 2 Height	30 cm

Package 2 Width	40 cm
Package 2 Length	60 cm
Package 2 Weight	7.516 kg

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

Use Again

Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No